Division of Building and Fire Regulation Virginia State Fire Marshal's Office

<u>Application for the USE OF PYROTECHNICS INSIDE State-owned</u> <u>buildings and OUTDOORS on State-owned Property Before a Proximate</u>

Audience

INSTRUCTIONS

1126

All information must be printed in ink or typewritten.

- Line 1. Provide name of person or company applying for a permit.
- Line 2. List telephone number where applicant may be reached.
- Line 3. Use mailing address the applicant can expect the guickest service.
- **Line 4.** What is the physical address (location) of the permit applicant if it's different from the mailing address given?
- Line 5. List city, state and zip code for the complete mailing address.
- **Line 6.** If a company is making application, write in the Federal Identification Number as provided by the IRS for the company applying for the permit. If a company is not making application, disregard and go to Question #7.
- **Line 7.** Print the name of the person submitting the application with their driver's license number and the state of licensure issuance.
- **Line 8.** The use of pyrotechnics before a "proximate audience" is governed by provisions contained in the Virginia Statewide Fire Prevention Code (SFPC) and its incorporated NFPA 1126-96 standard. **This application is for a permit to use** *NFPA 1126 type devices*, sometimes referred to as "close proximity fireworks", in circumstances listed on lines 8.1 through 8.5.

(If the applicant desires to use pyrotechnics or materials in circumstances not listed, the applicant should immediately consult with the State Fire Marshal's Office for further guidance, direction or information.)

Line 9. The SFPC requires a "plan for the use of pyrotechnics".

Line 9.1. The plan is to include the name of the sponsoring group, person or organization.

<u>Line 9.2.</u> The exact location of the production or firing is to be listed. Include as much information as may be available such as street address, City, County or Town, facility name, building name or number if assigned one, etc.

<u>Line 9.2.1.</u> Provide the name of the venue manager who has overall responsibility for the operation and management of the facility or site where pyrotechnics are to be used.

<u>Line 9.3.</u> Indicate whether the use of pyrotechnics will occur inside of a state-owned building, or outside on state-owned property.

Line 10. Provide the date and time-frame the use of pyrotechnics will occur. If multiple dates are planned, list the additional dates and time-frames on a separate sheet. Label or indicate at the top of the additional sheet that it's an additional sheet for line #10.

Line 11 The SFPC provides an opportunity for the operator to prove to the fire official, sponsor and venue manager that the pyrotechnic devices will operate as planned and within the safety parameters required by the SFPC. Designate a date and time at which a walk-through can begin and a representative demonstration will be available.

Line 12. The "plan" mentioned in line 9 requires specific informational items.

<u>Line 12.1.</u> Provide the name and age of the operator that's in charge of the design, setup and functioning of the pyrotechnics. The operator must be at least 21 years of age.

<u>Lines 12.2 and 12.3.</u> List any qualifications or credentials the operator is willing to offer towards proof of being a qualified operator along with an accounting of actual experience in the number of shows within a given period of time on line 12.3. If additional space is needed for line 12.2, attach an additional sheet (not to exceed the standard 8½ by 11 inch dimension) to the application and label or indicate at the top of the attached sheet that it's an additional sheet for line # 12.2.

Line 12.3.1. List the requested information as a reference.

<u>Line 12.4.</u> List the names and ages of all assistants that will be present. All assistants must be at least 18 years of age. If additional space is needed for line 12.4, attach an additional sheet (not to exceed the standard 8½ by 11 inch dimension) to the application and label or indicate at the top of the attached sheet that it's an additional sheet for line # 12.4.

<u>Line 12.5.</u> The plan requires a listing of "the number and types of pyrotechnic devices and materials to be used." If additional space is needed for line 12.5, attach an additional sheet (not to exceed the standard 8½ by 11 inch dimension) the application and label or indicate at the top of the attached sheet that it's an additional sheet for line # 12.5.

Line 13. The "plan" mentioned in line 9 requires specific documents be provided. Placing a check in the boxes provided is a means for the applicant to determine or track for themselves they have obtained or possess the required information, and have attached it to the application.

<u>Line 13.1.</u> A site plan is to be provided of the premises upon which the pyrotechnics will be fired. If the firing will be inside a building, a floor plan or diagram of the space is to be provided. In either case, the position at which the devices will be positioned for firing is to be noted, the fallout radius is to be indicated, and the lines behind which an audience will be restrained. (If the site plan, floor plan or diagram exceeds a standard 8 ½ by 11 inch dimension, please provide two [2] copies.)

Line 13.2. It's to be noted on the site plan, floor plan or diagram where the assembly of devices will occur.

Line 13.3. A material safety data sheet (MSDS) is to be provided for each type of device used.

<u>Lines 13.3.1 thru 13.3.3</u> requires that the name and address of the manufacturer of the devices be provided, along with any cautionary statements, and a statement noting the devices are intended for indoor use. Check the box provided if the devices are not being used inside a building.

<u>Line 13.4.</u> A statement or certification is to be provided stating that sets, scenery, and rigging materials are inherently flame-retardant or have been treated to achieve a similar flame resistance. If such items will not be exposed or involved, check the box provided.

<u>Line 13.5.</u> Proof of insurance or surety bond is required in an amount not less than \$500,000.00. Site conditions or exposures may dictate a greater amount will be required. After consulting with legal counsel, if a greater amount is required, the fire official will inform the applicant in the most expedient and efficient manner possible.

Line 14. The SFPC has certain prerequisites, conditions and safeguards to be complied with by the operator of the pyrotechnic devices. This application is intended to have the applicant acknowledge these prerequisites, conditions and safeguards by reading and initialing each item (Lines 14.1 thru 14.7).

If the listed item is not applicable to the circumstance, the applicant is to write "N/A" in place of their initials. An example of this is when close proximity fireworks are used outdoors and smoke detectors and air-handling systems would not be involved or affected. It would therefore be appropriate for the applicant to write "N/A" for lines 14.1 and 14.1.1 in place of their initials.

Lines 15 through 17. Self explanatory.

An incomplete application is subject to being returned to applicant without processing.

VIRGINIA STATE FIRE MARSHAL'S OFFICE APPLICATION FOR THE USE OF PYROTECHNICS INSIDE STATE-OWNED BUILDINGS AND OUTDOORS ON STATE-OWNED PROPERTY BEFORE A PROXIMATE AUDIENCE

1.	Name/Company: 2. Company Phone #:							
3.	Mailing address:							
4.	Physical address if different from above:							
5.	. City/State/Zip:6. F.I.D.(Federal Identification Number):							
7.	Name and driver's license number of person making application (PRINT):							
	Lic. Number: State of issuance:							
8.	Of the following, check all circumstances for which application is being made:							
	8.1. [] For the use of pyrotechnics in theatrical, musical or similar productions before a proximate audience, performers, or support personnel.							
	8.2. [] The use of pyrotechnics while videotaping, audio taping, or filming of any television, radio, or movie production where such production takes place before a proximate audience.							
	8.3. [] The rehearsal of any production in which pyrotechnics are used.							
	8.4. [] The indoor use of pyrotechnics.							
	8.5. [] The outdoor use of pyrotechnics at distances less than those required by NFPA 1123, <i>Code for Fireworks Display</i> , as referenced by Section 3308.2.2 of the Virginia Statewide Fire Prevention Code.							
	Note: Any permit issued as a result of this application does not confer approval to use flammable liquids and/or flammable gases in any performance or display. Separate approval must be provided for the use of such materials.							
9.	Sponsorship.							
	9.1. The use of pyrotechnic materials and/or devices will be sponsored by:							
	9.2. The use of pyrotechnics will occur at (Provide location by listing address, name of complex or facility, name or building number, etc. Include name of City, County or Town):							
	9.2.1. Name of venue manager:							
	9.3. The use of pyrotechnic materials and/or devices at the location listed above will occur (check one):							
	9.3.1. [] Inside a state-owned building (\$200.00 permit fee.)							
	9.3.2. [] Outside of a building but on state-owned property (\$100.00 permit fee.)							
10.	The use of pyrotechnic materials and/or devices will occur on:							
	(Date): / / 20 beginning at (time): am/pm and end at (time): am/pm							
	(Note: If the use of pyrotechnic materials or devices will occur on multiple dates and/or times, list all							

Revised: 10/01/03

dates and times on a separate page and attach it to this application.)

demonstration will be first rehearsal, prod	e availa uction a	presentative demonstration of the pyrable to commence on (date) / nd/or performance at which pyrotechronstration to reset/reload the pyrotech	/ 20_ nics will	at (time) be used, and will	_ : ai be complete	m/pm prior to the ed with sufficient				
12. Operators, Ass	12. Operators, Assistants and Pyrotechnic Specifications.									
12.1. Name	12.1. Name and age of the pyrotechnic operator (person actually in charge of firing the pyrotechnics):									
12.2. List of any qualifications/credentials the operator may possess or is willing to offer:										
12.3. The p	12.3. The pyrotechnic experience of the operator can be evidenced by having fired (check one in each column):									
	Number of shows fired: During a period covering:									
	[] 1 – 5 shows			1 – 6 months						
	[]	5 – 10 shows	[]	6 – 12 months						
	[]	10 – 20 shows	[]	12 – 24 months						
	[]	Over 10 shows	[]	Over 24 months	i					
12	.3.1. Wi	th the latest firing having occurred at	(print):							
	Name	of facility:	Date o	of firing:						
	Physical address of facility:		Name of venue manager:							
	Tolophono number of venue manager:									
Telephone number of venue manager:										
12.4. Name	and ag	ges of all assistants who will be preser	nt (attac	h additional pages	s as needed	i):				
		Name (print)			Age	,				
		Name (pint)			Age					
45 5 11 11										
12.5. List the needed):	ne numb	per and types of pyrotechnic devices of	r mater	ials to be used (at	tach additio	nal pages as				
	# Name of device or material									
	" Name of device of material									

13. Additional Attachments.

The following items are to be provided as attachments to this application.

		The diag	ram is to show:				
		1	13.1.1. [] the point at which the pyrotechnic devices are to be positioned and fired,				
		1	13.1.2. [] the fallout radius for each pyrotechnic device used in the performance, and				
		1	13.1.3. [] the lines behind which the audience will be restrained.				
	13.2. [] The poir	nt of on-site assembly of pyrotechnic devices.				
	13.3. [] A materi	al safety data sheet (MSDS) for the pyrotechnic material(s) to be used and,				
		1	13.3.1. [] the name, address and phone number of the manufacturer, and				
		1	13.3.2. [] the manufacturer's statement regarding whether the pyrotechnic is intended for indoor use, and [] Check this box if this item is not applicable to the circumstance.				
		1	13.3.3. [] whether it is to be used with any special considerations or cautions.				
	13.4. [tion that the set, scenery, and rigging materials are inherently flame-retardant or have been achieve flame retardancy. [] Check this box if this item is not applicable to the circumstance.				
	13.5. [\$500,000	a corporate surety bond or a public liability insurance policy in an amount not less than 0.00. (Note: A greater amount may be required when conditions at the location of use indicate a mount is required or justified by the exposures encountered at the site/building.)				
14.	Conditions	and ackno	wledgement.				
	The applicant is required to review and initial the following requirements of the Statewide Fire Prevention Code and its referenced standards. By initialing each item, the applicant acknowledges their review and agreement to comply with the listed requirements. (If the item does not apply to the circumstance, the applicant is to write N/A in place of their initials.)						
	14.1		When the use of indoor pyrotechnics requires air-handling systems to be disengaged, the applicant will make timely and proper notification to a representative of the building owner who will be given the opportunity to be present for the firing of the pyrotechnic devices. The restoration of the building life safety systems shall be returned to normal operating conditions as soon as the likelihood of false alarms from the pyrotechnics has passed.				
		14.1.1	When the performance necessitates the bypassing of any smoke detectors, the applicant shall arrange for a fire watch officer, acceptable the State Fire Marshal's Office, to be available during performances and rehearsals. The fire watch officer shall be in direct communication with the local fire department. All smoke detectors shall be reactivated as the likelihood of false alarms has passed.				
	14.2		Binary materials shall be pre-weighed, pre-measured, pre-packaged, and identified by the manufacturer as being intended for indoor use.				
	14.3		Two or more fire extinguishers of the proper size and classification shall be readily accessible while the pyrotechnics are being loaded, prepared for firing, or fired. In all cases, at least two pressurized water extinguishers shall be available.				
	14.4		The pyrotechnic operator shall only use an electrical firing system. The firing system shall be designed to ensure against accidental firing by providing at least a two-step interlock process that requires the operator to intentionally enable or arm the firing system; and deliberately apply firing power.				
	14.5		The power source used for firing pyrotechnic devices is restricted to batteries or isolated power supplies used for firing purposes only.				
	14.6		_ All pyrotechnic device holders shall be constructed and secured so that they remain in a fixed position when the device is fired, and;				
		14.6.1	Comets and mines shall be fired so that the trajectory of the pyrotechnic material is not carried over the audience.				
		14.6.2	Waterfalls shall be placed for firing so that no flammable materials are within their fallout area.				

13.1. [] A diagram of the grounds or facilities where the production is to be held. (See application instructions.)

14.6.3	suspended by a minimum 30-gau airburst occurs at a minimum hei	chnic device fired during a performance shall be (1) separated from the st 15 feet but not less than twice the fallout radius of the device, and (2) or flaming particles within 10 feet of the audience, (3) that no part, from the pyrotechnic material or device is propelled so that it damages is, overhead equipment, or the ceiling and walls of the performance is pyrotechnics are fired, the quantity of smoke developed shall not it y of exit signs or paths of egress; all of which may be proven during a mortars, if used, shall be separated from the audience by a minimum of in a secured location that prevents the audience and support personnel							
14.6.4	audience by at least 15 feet but r project no glowing or flaming par projectile, or debris from the pyro overhead properties, overhead e area, and (4) where pyrotechnics								
14.6.5									
	yrotechnic devices shall be fired or lew of the operator.	nly when the area where the effect is to occur is in c	lear						
15. By my signature below, I attest the above information is accurate and correct. I acknowledge and agree to comply with all applicable requirements of the Virginia Statewide Fire Prevention Code (SFPC) and its referenced standard governing the use, storage and firing of pyrotechnics before a proximate audience, even those not specifically expressed on this application.									
		n this application, it shall only be valid within the for the specific date(s) and time(s) for which it is							
This application and attachments are submitted with the required permit fee in the form of a check or money order payable to the TREASURER OF VIRGINIA . The fee is based upon whether the pyrotechnics will be fired indoors or outdoors of a building as noted by line 9.3.1 or 9.3.2 respectively of this application.									
available on-site during the with the activities applied for.	dates and times noted on line #	y of this application and all its attachments will be 10 of the application, and constitute approval to protand that any SFPC violations identified after permition.	ceed						
16. Signature of applicant (perso	n listed on line 7):	17. Date:							
	PERN To be completed by SFN								
Application reviewed by (prin	t name):	Review date:							
Application for permit is: []	Approved [] Not Approved								
Reviewer's comments, additi	onal conditions, or reasons for non	-approval:							
Signature of reviewer:									